

DH-MV-MH1620ME

2/3" 8MegaPixel 16mm Lens




Specifications

| | | |
|-----------------------|----------|------------------------|
| Model | | DH-MH1620M |
| Parameter | | |
| Image format | | 2/3" |
| Focal length | | 16mm |
| Aperture | | F2.0 |
| Resolution | | 8MP |
| Field Angle | | W: 37.8° x30.8° x23.5° |
| M.O.D. | | 0.12m |
| TV Distortion | | <0.1% |
| Operating wave length | | 400-900nm |
| Lens Control | Focus | Manually Adjust |
| | Aperture | Manually Adjust |
| Lens Mount | | C-Mount |
| Filter Interface | | M27.0xP0.5 |
| Dimension(mm) | | Ø29.0*45.0 |
| Weight | | 76g |
| Operating temperature | | -10°C ~ +50°C |

DH-MV-MH1620ME

Dimensions (mm)



DH-MV-MH1620ME

Dahua Technology Co., Ltd.

1199 BinAn Road, Binjiang District, Hangzhou, China

Tel: +86-571-87688883

Fax: +86-571-87688815

Email: overseas@dahuatech.com

www.dahuasecurity.com

*Design and specifications are subject to change without notice.

© 2014 Dahua Technology Co., Ltd.